

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/966,510	09/28/2001	Tomoyuki Ishii	1307.65742	7411	
75	07/28/2003				
Patrick G. Burns Greer, Burns & Crain, Ltd. Suite 2500 300 South Wacker Drive Chicago, IL 60606			EXAMINER		
			AWAD, AMR A		
			ART UNIT	PAPER NUMBER	
3 ,			2675		
			DATE MAILED: 07/28/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No. 09/966,510

Applicant(s)

Ishii et al.

Examiner

Amr Awad

Art Unit **2675**



	The MAILING DATE of this communication appears	on the cover sh	eet with	the correspondence address		
Period i	for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO E THE MAILING DATE OF THIS COMMUNICATION.						
	ions of time may be available under the provisions of 37 CFR 1.136 (a). In a date of this communication.	no event, however, r	nay a reply	be timely filed after SIX (6) MONTHS from the		
- If the p	period for reply specified above is less than thirty (30) days, a reply within the	-				
	period for reply is specified above, the maximum statutory period will apply a to reply within the set or extended period for reply will, by statute, cause th	•				
	ply received by the Office later than three months after the mailing date of the patent term adjustment. See 37 CFR 1.704(b).	his communication, e	ven if timel	y filed, may reduce any		
Status	patonic torri dajdadrioric. Coo O7 O/11 1.70-10).					
1) 💢	Responsive to communication(s) filed on Sep 28, 2					
2a) 🗌	This action is FINAL . 2b) 💢 This act	ion is non-final				
3) 🗆	Since this application is in condition for allowance eclosed in accordance with the practice under Ex pair					
Disposi	tion of Claims					
4) 🗶	Claim(s) <u>21-25</u>			is/are pending in the application.		
4	a) Of the above, claim(s)	<u>.</u>		is/are withdrawn from consideration.		
5) 🗆	Claim(s)	 		is/are allowed.		
6) 💢	Claim(s) 21-25			is/are rejected.		
7) 🗆	Claim(s)			is/are objected to.		
8) 🗆	Claims	are	subject	t to restriction and/or election requirement.		
Applica	ition Papers					
9) 🗆	The specification is objected to by the Examiner.					
10)	The drawing(s) filed on is/are	a) 🗆 accepte	d or b)	\square objected to by the Examiner.		
	Applicant may not request that any objection to the d	rawing(s) be he	ld in abe	eyance. See 37 CFR 1.85(a).		
11)	The proposed drawing correction filed on	is	: a)□ ;	approved b) \square disapproved by the Examiner.		
	If approved, corrected drawings are required in reply t	to this Office ac	tion.			
12)	The oath or declaration is objected to by the Exami	ner.				
Priority	under 35 U.S.C. §§ 119 and 120					
13) Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) [⟨ All b) □ Some* c) □ None of:					
	1. Certified copies of the priority documents have been received.					
	2. X Certified copies of the priority documents have been received in Application No					
	 Copies of the certified copies of the priority de application from the International Bure 	au (PCT Rule 1	7.2(a)).			
*5	ee the attached detailed Office action for a list of the	e certified cop	es not r	eceived.		
14) 📙	Acknowledgement is made of a claim for domestic					
a) The translation of the foreign language provisional application has been received.						
15)∟	Acknowledgement is made of a claim for domestic	priority under	35 U.S.	C. §§ 120 and/or 121.		
Attachm		4) Dimension =		0.400.0		
	tice of References Cited (PTO-892) tice of Draftsperson's Patent Drawing Review (PTO-948)			O-413) Paper No(s)		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) Notice of Informal Patent Application (PTO-152) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s).						
~ \\	omation Disclosure Statement(s) (F10-144-5) Paper No(8).	On other:				

Art Unit: 2675

DETAILED ACTION

Information Disclosure Statement

1. The references cited in the Information Disclosure statement filed on 09/29/2001 have

been considered by the Examiner; see attached PTO-1449.

Specification

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a

separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed

150 words in length since the space provided for the abstract on the computer tape used by the

printer is limited. The language should be clear and concise and should be related to the claimed

invention. The existing abstract is more that 150 words and is directed to an aspect of the

invention which was not claimed. A correction or a new abstract is respectfully requested by the

Examiner.

3. The title of the invention is not descriptive. A new title is required that is clearly indicative

of the invention to which the claims are directed.

Page 2

Application/Control Number: 09/966,510 Page 3

Art Unit: 2675

Claim Rejections - 35 U.S.C. § 112

- 4. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 5. Claims 21 and 24-25 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Independent claim 1 recites "wherein said at least one first discharge sustaining pulse and said at least one second discharge sustaining pulse are applied such that a current in said first pair of display electrodes flows in the opposite direction from a current in said second pair of display electrodes". Such limitation was never mentioned in the specification or in the original claimed of the parent application, which raises new matter situation. A clarification is respectfully requested. Similar recitation is cited with respect to claims 24-25
- 6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claim 22-23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. claim 23 recites "both of said sets...." in line 4. Such recitation lacks anteceded basis because what was previously cited is a set of first discharge (in line 3) which means that only

Application/Control Number: 09/966,510 Page 4

Art Unit: 2675

one set is claimed. The recitation "both of said sets.." implies that two sets is recited which also not correct according to the first recitation in line 3 of the claim. Similar problems are found with respect to the citation of "applying a set of second discharge...." in lines 6-9 of the claim. Lines 9-1- recite "said first set of discharge......and said second set of discharge..." this recitation lacks anteceded basis because what is previously recited is "a set of first discharge" and "a set of second discharge" which render the claim indefinite. Also the last four lines of the claim cite that the discharge applied to one electrode in a first pair of display electrodes and second set of discharge..applied to an adjacent electrode....are in the same phase as each other. Such recitation is contradictory because the language recited in lines 4-5 and 7-8 show that the discharge pulses applied to the first pair are different in phase from the discharge pulses applied to the subsequent pair, and similarly with respect to the second discharge sustaining pulses, while the last four lines claimed that the first and second discharge sustain pulses are the same in phase. A clarification or correction is respectfully requested. Similar recitations in claim 22.

Claim Rejections - 35 U.S.C. § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2675

9. Claims 21 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kanazawa (US patent NO. 5,436,634 provided by the Applicant) in view of Hirayama et al. (US patent NO. 4,296,357; hereinafter referred to as Hirayama, also provided by the Applicant).

Kanazawa (figure 17) teaches a method of driving a plasma display (15) having a plurality of X-electrodes, Y-electrodes, and address electrodes the X-electrodes and Y-electrodes being arranged in parallel to each other, and that each Y-electrode arranged between adjacent two of the X-electrodes, and the address electrodes being arranged with intersecting X and Y electrodes at a distance; see abstract, column 9, lines 22-28, and column 11, lines 24-30. Kanazawa teaches the step of displaying by discharging between each of the Y-electrodes and one of the X-electrodes adjacent thereto on one side, and displaying by discharging between each of the Y-electrodes and another X-electrode, see figures 5, 6, and 11.

Kanazawa does not teach having an opposite current discharge direction.

Hirayama (figure 1) teaches a plasma display system wherein the flowing of current in an opposite direction; see column 4, lines 12-23.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use Hirayama's teaching of having the current flowing in pairs sustaining electrodes having opposite direction to Kanazawa's display device so as to help improving the turn-on characteristics of a display; see abstract.

Page 5

Page 6

Art Unit: 2675

10. Claims 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kanazawa in view of Shinoda et al. (US patent NO. 4,737,687; hereinafter referred to as Shinoda, provided by the Applicant).

Kanazawa (figure 17) teaches a method of driving a plasma display (15) having a plurality of X-electrodes, Y-electrodes, and address electrodes the X-electrodes and Y-electrodes being arranged in parallel to each other, and that each Y-electrode arranged between adjacent two of the X-electrodes, and the address electrodes being arranged with intersecting X and Y electrodes at a distance; see abstract, column 9, lines 22-28, and column 11, lines 24-30. Kanazawa teaches the step of displaying by discharging between each of the Y-electrodes and one of the X-electrodes adjacent thereto on one side, and displaying by discharging between each of the Y-electrodes and another X-electrode; see figures 5, 6, and 11.

Kanazawa does not teach that the phase of the two electrodes adjacent to each other in the first and second pair are in the same phase to each other.

However, Shinoda (figure 1) shows a plasma display panel that includes X and Y sustaining electrodes parallel to each other. Shinoda (figures 6-7) shows that the two electrodes (for example Y1 and X1) adjacent to each other and divided in two pairs) are in the same phase (see for example figures 7e and 7f) (col. 6, lines 55-68).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to include the teaching of Shinoda having the two electrodes of two pairs having the same phase to be incorporated to Kanazawa's device so as to provide a stably

Application/Control Number: 09/966,510 Page 7

Art Unit: 2675

addressed three-electrode type plasma display and to assure the elimination of wall charge in display cell) (col. 7, lines 19-26).

11. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kanazawa and Hirayama as applied to claim 21 above, and further in view of Shinoda.

As can be seen above, Kanazawa and Hirayama teach all the limitations of claim 22 except the citation of having the phase of the two electrodes adjacent to each other in the first and second pair are in the same phase to each other.

However, Shinoda (figure 1) shows a plasma display panel that includes X and Y sustaining electrodes parallel to each other. Shinoda (figures 6-7) shows that the two electrodes (for example Y1 and X1) adjacent to each other and divided in two pairs) are in the same phase (see for example figures 7e and 7f) (col. 6, lines 55-68).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to include the teaching of Shinoda having the two electrodes of two pairs having the same phase to be incorporated to Kanazawa's device so as to provide a stably addressed three-electrode type plasma display and to assure the elimination of wall charge in display cell) (col. 7, lines 19-26).

12. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kanazawa and Shinoda as applied to claim 23 above, and further in view of Hirayama.

Art Unit: 2675

As can be seen above, Kanazawa and Shinoda teach all the limitations of claim 25 except

the citation of having an opposite current discharge direction.

Hirayama (figure 1) teaches a plasma display system wherein the flowing of current in an

opposite direction; see column 4, lines 12-23.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time

the invention was made to use Hirayama's teaching of having the current flowing in pairs

sustaining electrodes having opposite direction to Kanazawa's display device so as to help

improving the turn-on characteristics of a display; see abstract.

Conclusion

13. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 872-9314 (for Technology Center 2600 only)

hand-delivered responses should be brought to Crystal Park II, 2121 Crystal

Drive, Arlington. VA., Sixth Floor (Receptionist).

Page 8

Page 9

Art Unit: 2675

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amr Awad whose telephone number is (703) 308-8485. The examiner can normally be reached on Monday--Friday from 7:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Saras, can be reached on (703) 305-9720.

Amr A. Awad

Ami Ahmel pure

Patent Examiner

July 23, 2003.